

# SAFETY DATA SHEET

---

## SECTION 1) CHEMICAL PRODUCT AND SUPPLIER'S IDENTIFICATION

---

**CAS Number:** 64-19-7  
**Product Name:** Acetic Acid 56 %  
**Revision Date:** Oct 02, 2019 **Date Printed:** Oct 02, 2019  
**Version:** 1.0 **Supersedes Date:**  
**Manufacturer's Name:** Thames River Chemical Corp.  
**Address:** 5230 Harvester Road Burlington, ON, CA, L7L 4X4  
**Emergency Phone:** CHEMTREC (800) 424-9300  
**Information Phone Number:** 905-681-5353  
**Fax:** 905-681-5377  
**Product/Recommended Uses:** For laboratory or industrial use only.

---

## SECTION 2) HAZARDS IDENTIFICATION

---

### Classification

Corrosive to metals - Category 1  
Skin Corrosion - Category 1A  
Specific Target Organ Toxicity -Single Exposure (Respiratory Tract Irritation) - Category 3

### Pictograms



### Signal Word

Danger

### Hazard Statements - Health

Causes severe skin burns and eye damage  
May cause respiratory irritation

### Hazard Statements - Physical

May be corrosive to metals

### Precautionary Statements - General

If medical advice is needed, have product container or label at hand.  
Keep out of reach of children.  
Read label before use.

### Precautionary Statements - Prevention

Keep only in original packaging.  
Do not breathe dust/fume/gas/mist/vapors/spray.  
Wash thoroughly/Wash hands thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Avoid breathing dust/fume/gas/mist/vapors/spray.  
Use only outdoors or in a well-ventilated area.  
Keep container tightly closed.

### Precautionary Statements - Response

Absorb spillage to prevent material damage.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

Wash contaminated clothing before reuse.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER or doctor.

Specific treatment (see first-aid on the SDS).

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a POISON CENTER or doctor, if you feel unwell.

### Precautionary Statements - Storage

Store in a corrosive resistant container with a resistant inner liner.

Store locked up.

Store in a well-ventilated place. Store locked up.

### Precautionary Statements - Disposal

Dispose of contents/container in accordance with local/national/international regulation. Waste management should be in full compliance with national, regional and local laws.

### Physical Hazards Not Otherwise Classified

No Data Available

### Health Hazards Not Otherwise Classified

No Data Available

---

## SECTION 3) COMPOSITION/INFORMATION ON INGREDIENTS

---

CAS	Chemical Name	% By Weight
0000064-19-7	ACETIC ACID	56%
0007732-18-5	WATER	44%

---

## SECTION 4) FIRST-AID MEASURES

---

### Inhalation

Get medical advice/attention if you feel unwell or are concerned. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. Remove source of exposure or move person to fresh air and keep comfortable for breathing. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by the POISON CENTER/doctor.

### Eye Contact

Immediately call a POISON CENTER/doctor. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for a duration of 30 minutes or until medical aid is available. Take care not to rinse contaminated water into the unaffected eye or onto the face.

### Skin Contact

Take off immediately all contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Wash contaminated clothing before re-use. Immediately call a POISON CENTER/doctor. Rinse skin with lukewarm, gently flowing water/shower for a duration of 30 minutes or until medical aid is available.

### Ingestion

If vomiting occurs naturally, lie on your side, in the recovery position. Immediately call a POISON CENTER/doctor.

### Most Important Symptoms and Effects, Both Acute and Delayed

No Data Available

### Indication of Any Immediate Medical Attention and Special Treatment Needed

No Data Available

---

## SECTION 5) FIRE-FIGHTING MEASURES

---

### Suitable Extinguishing Media

Small Fire : Dry chemical, foam, carbon dioxide, water-spray or alcohol-resistant foam. Carbon dioxide can displace oxygen. Use caution when applying carbon dioxide in confined spaces. Large Fire: Water spray, fog or alcohol-resistant foam.

### Unsuitable Extinguishing Media

Do not use straight stream of water.

### Specific Hazards in Case of Fire

Violent steam generation or eruption may occur upon application of direct water stream to hot liquids. Containers may explode in fire. Fire will produce irritating and corrosive gases. Contact with metals may evolve flammable hydrogen gas. Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive fumes.

### Fire-fighting Procedures

Isolate immediate hazard area and keep unauthorized personnel out. Move undamaged containers from immediate hazard area if it can be done safely. Stop spill/release if it can be done safely. Cool containers with flooding quantities of water until well after fire is out. Caution should be exercised when using water or foam as frothing may occur, especially if sprayed into containers of hot, burning liquid. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. Large Fire: Dike fire-control water for later disposal; do not scatter the material

### Special Protective Actions

Wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear. Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

---

## SECTION 6) ACCIDENTAL RELEASE MEASURES

---

### Emergency Procedure

Isolate hazard area and keep unauthorized personnel away. Stay uphill and/or upstream. Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ventilate closed spaces before entering. Evacuate and isolate hazard area and keep unauthorized personnel away.

### Recommended Equipment

Wear chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA). Wear liquid tight chemical protective clothing in combination with positive pressure self-contained breathing apparatus (SCBA).

### Personal Precautions

DO NOT get on skin, eyes or clothing. Avoid breathing vapor or mist.

### Environmental Precautions

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers.

### Methods and Materials for Containment and Cleaning up

Ventilate area after clean-up is complete. Absorb Liquids in vermiculite, dry sand, earth, or similar inert material and deposit in sealed containers for disposal.

---

## SECTION 7) HANDLING AND STORAGE

---

### General

Wash hands after use. Do not get in eyes, on skin or on clothing. Do not breathe vapors or mists. Use good personal hygiene practices. Eating, drinking and smoking in work areas is prohibited. Remove contaminated clothing and protective equipment before entering eating areas. This product is not intended for human or animal consumption. All containers must be properly labelled. Eyewash stations and showers should be available in areas where this material is used and stored

### Ventilation Requirements

Use only with adequate ventilation to control air contaminants to their exposure limits. Report ventilation failures immediately. The use of local ventilation is recommended to control emissions near the source.

### Storage Room Requirements

Store in dry, cool areas, out of direct sunlight and away from other sources of heat. Empty container retain residue and may be dangerous. Keep containers securely sealed when not in use. Protect containers against banging or other physical damage when storing, transferring, or using them. Procedures must be conducted in a fume hood, glove box, or other suitable containment device. Segregate from other hazard classes and store in a cool, dry, well ventilated area, away from sources of ignition and incompatibilities. Provide

secondary containment for toxic materials. Store, handle, and use corrosive materials in well-ventilated areas. Do not store on metal shelves. Store containers in plastic tubs or trays as secondary containment. Keep the smallest amount of material in work areas. Avoid rapid temperature changes in liquid storage areas. Store at temperatures above their respective freezing/melting point. Never store corrosives above eye level. Label cabinets with "TOXIC CHEMICALS" or similar warning.

## SECTION 8) EXPOSURE CONTROLS/PERSONAL PROTECTION

### Eye protection

Wear indirect-vent, impact and splash resistant goggles when working with liquids

### Skin Protection

Use of gloves approved to relevant standards made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, dexterity. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Use an apron and over-boots of chemically impervious materials such as neoprene or nitrile rubber.

### Respiratory Protection

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker, a respiratory protection program that meets or is equivalent to OSHA 29 CFR 1910.134 should be followed. Check with respiratory protective equipment suppliers.

### Appropriate Engineering Controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

Chemical Name	CANsmg	CANspm	CANtmg	CANtppm	OSHA STEL (mg/m3)	OSHA STEL (ppm)	OSHA TWA (mg/m3)	OSHA TWA (ppm)	OSHA Carcinogen	OSHA Tables (Z1, Z2, Z3)	OSHA Skin designation	ACGIH STEL (mg/m3)
ACETIC ACID	39	15	26	10			25	10		1		37

Chemical Name	ACGIH STEL (ppm)	ACGIH TWA (mg/m3)	ACGIH TWA (ppm)	ACGIH TLV Basis	ACGIH Carcinogen	ACGIH Notations
ACETIC ACID	15	25	10	URT & eye irr; pulm func		

func - Function, irr - Irritation, pulm - Pulmonary, URT - Upper respiratory tract

## SECTION 9) PHYSICAL AND CHEMICAL PROPERTIES

### Physical and Chemical Properties

Density	8.68 lb/gal
Specific Gravity	1.04
Appearance	clear, colourless, liquid
Odor Description	pungent, penetrating vinegar odour
Odor Threshold	0.07 mg/l
pH	2.4 (6% solution) – highly acid
Melting Point	-26.5
Low Boiling Point	118 °C
High Boiling Point	N/A
Flash Point	>93 °C
Vapor Pressure	as for water
Vapor Density	N/A
Evaporation Rate	as for water

Upper Explosion Level	N/A
Lower Explosion Level	N/A
Water Solubility	Complete
Coefficient Water/Oil	-0.17
Viscosity	1.06 centipoise (25°C)

---

## SECTION 10) STABILITY AND REACTIVITY

---

### Reactivity

No Data Available

### Stability

Stable under normal storage and handling conditions.

### Conditions to Avoid

Avoid heat, sparks, flame, high temperature, freezing and contact with incompatible materials.

### Hazardous Reactions/Polymerization

Hazardous polymerization will not occur.

### Incompatible Materials

Strong bases, acids, oxidizing and reducing agents.

### Hazardous Decomposition Products

No Data Available

---

## SECTION 11) TOXICOLOGICAL INFORMATION

---

### Likely Route of Exposure

Inhalation, ingestion, skin absorption

### Aspiration Hazard

No Data Available

### Carcinogenicity

No Data Available

### Germ Cell Mutagenicity

No Data Available

### Reproductive Toxicity

No Data Available

### Respiratory/Skin Sensitization

No Data Available

### Serious Eye Damage/Irritation

No Data Available

### Skin Corrosion/Irritation

Causes severe skin burns and eye damage

### Specific Target Organ Toxicity - Repeated Exposure

No Data Available

### Specific Target Organ Toxicity - Single Exposure

May cause respiratory irritation

LC50 (mouse): 2810 ppm (4-hour exposure); cited as 5620 ppm (1-hour exposure) (17)

LD50 (dermal, guinea pig): 3360 mg/kg (cited as 3.2 mL/kg) (28% solution) (24, unconfirmed)

LD50 (oral, rat): 3530 mg/kg (concentration not specified) (18)

---

## SECTION 12) ECOLOGICAL INFORMATION

---

### Toxicity

No Data Available

### Mobility in Soil

This product may move with surface or groundwater flows because its water solubility is: 100%

### Bio-accumulative Potential

This product is not expected to bioaccumulate through food chains in the environment

### Persistence and Degradability

No Data Available

### Other Adverse Effects

expected to be slightly toxic to aquatic species because of acidity

---

## SECTION 13) DISPOSAL CONSIDERATIONS

---

### Waste Disposal

Empty Containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld or use for any other purposes. It is the responsibility of the user of the product to determine at the time of disposal whether the product meets local criteria for hazardous waste. Waste management should be in full compliance with national, provincial and local laws.

---

## SECTION 14) TRANSPORT INFORMATION

---

### U.S. DOT Information

UN number: UN2790

Proper shipping name: Acetic acid solution, not less than 50 percent but not more than 80 percent acid, by mass

Hazard class: 8

Packaging group: III

Hazardous substance (RQ): No Data Available

Toxic-Inhalation Hazard: No Data Available

Marine Pollutant: No Data Available

Note / Special Provision: No Data Available

### Transport Canada Information

UN number: UN2790

Proper shipping name: Acetic acid solution, not less than 50 percent but not more than 80 percent acid, by mass

Hazard class: 8

Packaging group: III

Marine Pollutant: No Data Available

Transport in bulk (according to Annex II of MARPOL 73/78): No Data Available

Note / Special Provision: Note / Special Provision

---

**SECTION 15) REGULATORY INFORMATION**

---

CAS	Chemical Name	% By Weight	Regulation List
0000064-19-7	ACETIC ACID	56%	DSL,TSCA,EU_EC_Inventory - EC Inventory
0007732-18-5	WATER	44%	DSL,TSCA,EU_EC_Inventory - EC Inventory

---

**SECTION 16) OTHER INFORMATION**

---

**Glossary**

ACGIH- American Conference of Governmental Industrial Hygienists; ANSI- American National Standards Institute; Canadian TDG- Canadian Transportation of Dangerous Goods; CANsmg or CANspmm - Canadian Short Term Exposure Level in mg/L or in ppm; CANtmg or CANtppm - Canadian Time Weighted Average in mg/L or in ppm; CAS- Chemical Abstract Service; Chemtrec- Chemical Transportation Emergency Center(US); CHIP- Chemical Hazard Information and Packaging; DSL- Domestic Substances List; EC- Equivalent Concentration; EH40 (UK)- HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA- Emergency Planning and Community Right-To-Know Act; ESL Effects screening levels; HMIS- Hazardous Material Information Service; LC- Lethal Concentration; LD- Lethal Dose; NFPA- National Fire Protection Association; OEL- Occupational Exposure Limits; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL- Permissible Exposure Limit; SARA (Title III)- Superfund Amendments and Reauthorization Act; SARA 313- Superfund Amendments and Reauthorization Act, Section 313; SCBA- Self Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ Texas Commission on Environmental Quality; TLV- Threshold Limit Value; TSCA- Toxic Substances Control Act Public Law 94-469; TWA Time Weighted Value; US DOT- US Department of Transportation; WHMIS- Workplace Hazardous Materials Information System.

**Version 1.0:**

Revision Date: Oct 02, 2019

---

**DISCLAIMER**

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.