

## SECTION 1) CHEMICAL PRODUCT AND SUPPLIER'S IDENTIFICATION

**CAS Number:** 84852-15-3 (Nonyl Phenol)  
**Product Name:** Nonyl Phenol  
**Revision Date:** Dec 10, 2020 **Date Printed:** Dec 11, 2020  
**Version:** 1.0 **Supersedes Date:** N.A.  
**Manufacturer's Name:** Thames River Chemical Corp.  
**Address:** 5230 Harvester Road Burlington, ON, CA, L7L 4X4  
**Emergency Phone:** CHEMTREC (800) 424-9300  
**Information Phone Number:** 905-681-5353  
**Fax:** 905-681-5377  
**Product/Recommended Uses:** For laboratory or industrial use only.

## SECTION 2) HAZARDS IDENTIFICATION

### Classification

Acute aquatic toxicity - Category 1  
Acute toxicity Oral - Category 4  
Chronic aquatic toxicity - Category 1  
Reproductive Toxicity - Category 2  
Serious Eye Damage - Category 1  
Skin Corrosion - Category 1B

### Pictograms



### Signal Word

Danger

### Hazard Statements - Health

Harmful if swallowed  
Suspected of damaging fertility or the unborn child  
Causes severe skin burns and eye damage

### Hazard Statements - Environmental

Very toxic to aquatic life with long lasting effects

### Precautionary Statements - General

If medical advice is needed, have product container or label at hand.  
Keep out of reach of children.  
Read label before use.

### Precautionary Statements - Prevention

Avoid release to the environment.  
Wash/Wash hands thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Obtain special instructions before use.  
Do not handle until all safety precautions have been read and understood.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Do not breathe dust/fume/gas/mist/vapors/spray.

### Precautionary Statements - Response

Collect spillage.  
IF SWALLOWED: Call a POISON CENTER or doctor, if you feel unwell.  
Rinse mouth.  
IF exposed or concerned: Get medical advice/attention.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER or doctor.  
Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
Wash contaminated clothing before reuse.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Specific treatment (see first-aid on the SDS).

### Precautionary Statements - Storage

Store locked up.

### Precautionary Statements - Disposal

Dispose of contents/container in accordance with local/national/international regulation. Waste management should be in full compliance with national, regional and local laws.

### Physical Hazards Not Otherwise Classified

No data available.

### Health Hazards Not Otherwise Classified

No data available.

## SECTION 3) COMPOSITION/INFORMATION ON INGREDIENTS

CAS	Chemical Name	% By Weight
0084852-15-3	4-NONYL PHENOL BRANCHED	98% - 100%

Specific chemical identity and/or exact percentage (concentration) of the composition has been withheld to protect confidentiality or to reflect batch to batch variation.

## SECTION 4) FIRST-AID MEASURES

### Inhalation

Get medical advice/attention if you feel unwell or are concerned. If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Remove source of exposure or move person to fresh air and keep comfortable for breathing. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by the POISON CENTER/doctor.

### Eye Contact

Immediately call a POISON CENTER/doctor. Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open. Remove contact lenses, if present and easy to do. Continue rinsing for a duration of 30 minutes or until medical aid is available. Take care not to rinse contaminated water into the unaffected eye or onto the face.

### Skin Contact

Take off immediately all contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Wash contaminated clothing before reuse. Immediately call a POISON CENTER/doctor. Rinse skin with lukewarm, gently flowing water/shower for a duration of 30 minutes or

until medical aid is available.

### Ingestion

Rinse mouth. Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. If vomiting occurs naturally, lie on your side, in the recovery position.

### Most Important Symptoms and Effects, Both Acute and Delayed

No data available.

### Indication of Any Immediate Medical Attention and Special Treatment Needed

No data available.

## SECTION 5) FIRE-FIGHTING MEASURES

### Suitable Extinguishing Media

Foam, water fog, dry chemical, carbon dioxide

Do NOT direct a solid stream of water or foam into burning molten material; this may cause spattering and spread the fire.

Water spray or fog.

Foam.

Dry chemical powder.

BCF (where regulations permit). Use caution when applying carbon dioxide in confined spaces.

### Specific Hazards in Case of Fire

Fire will produce irritating and corrosive gases.

### Fire-fighting Procedures

Isolate immediate hazard area and keep unauthorized personnel out. Move undamaged containers from immediate hazard area if it can be done safely. Stop spill/release if it can be done safely. Cool containers with flooding quantities of water until well after fire is out.

### Special Protective Actions

Wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear. Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.

## SECTION 6) ACCIDENTAL RELEASE MEASURES

### Emergency Procedure

Do not touch damaged containers or spilled materials unless wearing appropriate protective clothing. Ventilate closed spaces before entering. Evacuate and isolate hazard area and keep unauthorized personnel away.

### Recommended Equipment

Wear chemical protective clothing and positive pressure self-contained breathing apparatus (SCBA). Wear liquid tight chemical protective clothing in combination with positive pressure self-contained breathing apparatus (SCBA).

### Personal Precautions

Use personal protective equipment as required.

DO NOT get on skin, eyes or clothing. Avoid breathing vapor or mist.

### Environmental Precautions

Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems and natural waterways by using sand, earth, or other appropriate barriers.

### Methods and Materials for Containment and Cleaning up

Prevent the influx to waterways, sewers, basements or confined spaces.

Ventilate area after clean-up is complete. Absorb Liquids in vermiculite, dry sand, earth, or similar inert material and deposit in sealed containers for disposal.

## SECTION 7) HANDLING AND STORAGE

### General

Wash hands after use. Do not get in eyes, on skin or on clothing. Use good personal hygiene practices. Eating, drinking and smoking in work areas is prohibited. Remove contaminated clothing and protective equipment before entering eating areas. This product is not intended for human or animal consumption. Eyewash stations and showers should be available in areas where this material is used and stored

## Ventilation Requirements

Use only with adequate ventilation to control air contaminants to their exposure limits. Report ventilation failures immediately. The use of local ventilation is recommended to control emissions near the source.

## Storage Room Requirements

Keep away from heat, sparks, flame and other sources of ignition.

Store in original containers. Keep containers securely sealed. Keep containers securely sealed when not in use. Protect containers against banging or other physical damage when storing, transferring, or using them. Avoid rapid temperature changes in liquid storage areas.

## SECTION 8) EXPOSURE CONTROLS/PERSONAL PROTECTION

### Eye protection

Wear indirect-vent, impact and splash resistant goggles when working with liquids

### Skin Protection

Use of gloves approved to relevant standards made from the following materials may provide suitable chemical protection: PVC, neoprene or nitrile rubber gloves. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, dexterity. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Use an apron and over-boots of chemically impervious materials such as neoprene or nitrile rubber.

### Respiratory Protection

If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker, a respiratory protection program that meets or is equivalent to OSHA 29 CFR 1910.134 should be followed. Check with respiratory protective equipment suppliers.

### Appropriate Engineering Controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.

Chemical Name	CANsmg	CANsppm	CANtmg	CANtppm	OSHA STEL (mg/m3)	OSHA STEL (ppm)	OSHA TWA (mg/m3)	OSHA TWA (ppm)
No applicable chemical	-	-	-	-	-	-	-	-

Chemical Name	OSHA Carcinogen	OSHA Tables (Z1, Z2, Z3)	OSHA Skin designation	ACGIH STEL (mg/m3)	ACGIH STEL (ppm)	ACGIH TWA (mg/m3)	ACGIH TWA (ppm)	ACGIH TLV Basis
No applicable chemical	-	-	-	-	-	-	-	-

Chemical Name	ACGIH Carcinogen	ACGIH Notations
No applicable chemical	-	-

## SECTION 9) PHYSICAL AND CHEMICAL PROPERTIES

### Physical and Chemical Properties

Density	7.93 lb/gal
Specific Gravity	0.95
Appearance	Clear, Viscous Liquid
Odor Description	Phenolic Odor
Odor Threshold	N/A
pH	N/A
Melting/Freezing Point	N/A
Low Boiling Point	290 °C

High Boiling Point	305 °C
Flash Point	141 °C
Vapor Pressure	0.0000236
Vapor Density	7.59
Evaporation Rate	N/A
Upper Explosion Level	N/A
Lower Explosion Level	N/A
Water Solubility	6.35 mg/L (25°C)
Coefficient Water/Oil	N/A
Viscosity	N/A

## SECTION 10) STABILITY AND REACTIVITY

### Reactivity

The product is stable under normal conditions.

### Stability

Stable under normal storage and handling conditions.

### Conditions to Avoid

Incompatible materials, light, exposure to air, heating to decomposition.

No data available

### Hazardous Reactions/Polymerization

Hazardous polymerization will not occur.

### Incompatible Materials

Strong oxidizing agents

### Hazardous Decomposition Products

None under normal handling and storage conditions.

## SECTION 11) TOXICOLOGICAL INFORMATION

### Acute Toxicity

LD50 (ORAL-RAT): 1620mg/kg

Harmful if swallowed

### Aspiration Hazard

Based on available data, the classification criteria are not met.

### Carcinogenicity

Based on available data, the classification criteria are not met.

### Germ Cell Mutagenicity

Based on available data, the classification criteria are not met.

### Respiratory/Skin Sensitization

Based on available data, the classification criteria are not met.

### Serious Eye Damage/Irritation

Causes serious eye damage

### Skin Corrosion/Irritation

Causes severe skin burns and eye damage

### Specific Target Organ Toxicity - Repeated Exposure

Based on available data, the classification criteria are not met.

### Specific Target Organ Toxicity - Single Exposure

Based on available data, the classification criteria are not met.

### Likely Routes of Exposure

Inhalation, Ingestion, Skin contact, Eye contact

## SECTION 12) ECOLOGICAL INFORMATION

### Toxicity

Very toxic to aquatic life

Very toxic to aquatic life with long lasting effects

### Mobility in Soil

No data available.

### Bio-accumulative Potential

No data available.

### Persistence and Degradability

No data available.

## SECTION 13) DISPOSAL CONSIDERATIONS

### Waste Disposal

Empty Containers retain product residue which may exhibit hazards of material, therefore do not pressurize, cut, glaze, weld or use for any other purposes. It is the responsibility of the user of the product to determine at the time of disposal whether the product meets local criteria for hazardous waste. Waste management should be in full compliance with national, provincial and local laws.

## SECTION 14) TRANSPORT INFORMATION

	Transport Canada Information	U.S. DOT Information
<b>UN number:</b>	UN3145	UN3145
<b>Proper shipping name:</b>	Alkylphenols, liquid, n.o.s. (including C2-C12 homologues) (4-NONYL PHENOL BRANCHED)	Alkylphenols, liquid, n.o.s. (including C2-C12 homologues) (4-NONYL PHENOL BRANCHED)
<b>Hazard class:</b>	8	
<b>Hazard class:</b>		8
<b>Packaging group:</b>	II	II
<b>Hazardous substance (RQ):</b>		No Data Available
<b>Marine Pollutant:</b>	No Data Available	No Data Available
<b>Note / Special Provision:</b>	Note / Special Provision	No Data Available
<b>Toxic-Inhalation Hazard:</b>		No Data Available
<b>Transport in bulk (according to Annex II of MARPOL 73/78):</b>	No Data Available	

## SECTION 15) REGULATORY INFORMATION

CAS	Chemical Name	% By Weight	Regulation List
0084852-15-3	4-NONYL PHENOL BRANCHED	98% - 100%	DSL,TSCA,EU_EC_Inventory

## SECTION 16) OTHER INFORMATION

### Glossary

ACGIH- American Conference of Governmental Industrial Hygienists; ANSI- American National Standards Institute; Canadian TDG- Canadian Transportation of Dangerous Goods; CANsmg or CANspmm - Canadian Short Term Exposure Level in mg/L or in ppm; CANtmg or CANtppm - Canadian Time Weighted Average in mg/L or in ppm; CAS- Chemical Abstract Service; Chemtrec- Chemical Transportation Emergency Center(US); CHIP- Chemical Hazard Information and Packaging; DSL- Domestic Substances List; EC- Equivalent Concentration; EH40 (UK)- HSE Guidance Note EH40 Occupational Exposure Limits; EPCRA- Emergency Planning and Community Right-To-Know Act; ESL Effects screening levels; HMIS- Hazardous Material Information Service; LC- Lethal Concentration; LD- Lethal Dose; NFPA- National Fire Protection Association; OEL- Occupational Exposure Limits; OSHA- Occupational Safety and Health Administration, US Department of Labor; PEL- Permissible Exposure Limit; SARA (Title III)- Superfund Amendments and Reauthorization Act; SARA 313- Superfund Amendments and Reauthorization Act, Section 313; SCBA- Self Contained Breathing Apparatus; STEL-Short Term Exposure Limit; TCEQ Texas Commission on Environmental Quality; TLV- Threshold Limit Value; TSCA- Toxic Substances Control Act Public Law 94-469; TWA Time Weighted Value; US DOT- US Department of Transportation; WHMIS- Workplace Hazardous Materials Information System.

### Version 1.0:

Revision Date: Dec 10, 2020

First Edition.

## DISCLAIMER

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. The above information pertains to this product as currently formulated, and is based on the information available at this time. Addition of reducers or other additives to this product may substantially alter the composition and hazards of the product. Since conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information.